



Panther 40 Led Spot

Ref. nr.: 150.461



INSTRUCTION MANUAL
GEBRUIKSAANWIJZING
GEBRAUCHSANLEITUNG
MANUAL DE INSTRUCCIONES
MANUEL D'INSTRUCTIONS

ENGLISH

Congratulations to the purchase of this Beamz light effect. Please read this manual thoroughly prior to using the unit in order to benefit fully from all features.

Read the manual prior to using the unit. Follow the instructions in order not to invalidate the warranty. Take all precautions to avoid fire and/or electrical shock. Repairs must only be carried out by qualified technicians.



DISPLAY

The control board offer several features: you can simple set the starting address, run the pre-

MASTER SLAVE FIXTURE

1. Connect the (male) 3 pin connector side of the DMX cable to the output (female) 3pin connector of the first fixture.

2. Connect the end of the cable coming from the first fixture which will have a (female) 3 pin connector to the input connector of the next fixture consisting of a (male) 3 pin connector. Then, proceed to connect from the output as stated above


NEDERLANDS

Hartelijk dank voor de aanschaf van dit Beamz lichteffect. Neemt U a.u.b. een paar momenten de tijd om te zeggen dat U de aankoop van dit lichteffect heeft gedaan.

De afbeelding op de afbeelding is een voorbeeld van het lichteffect. Het lichteffect wordt geleverd met een afbeelding van het lichteffect. Het lichteffect wordt geleverd met een afbeelding van het lichteffect.







REPLACEMENT DU FUSIBLE

Si le fusible est défectueux, il faut le remplacer par un fusible de même type et de même valeur. Avant de le remplacer, veillez à débrancher l'appareil.

Procé

Set Menu:

UHI Menu:

--	--

